

# CONSTRAINT-BASED CAUSAL DISCOVERY FROM A COLLECTION OF CONDITIONING SETS

Kenneth Lee\*, Bruno Ribeiro+, Murat Kocaoglu\*

Elmore Family School of Electrical and Computer Engineering, Purdue University\*

Department of Computer Science, Purdue University+




## INTRODUCTION

- **Objectives:** learn causal graphs using only CI tests restricted to a collection of conditioning sets.
- **Motivation:** it is not known the characterization of learning of causal graphs from a collection of conditioning sets. Not all the CI tests are equally reliable.
- **Contributions:** propose to learn causal graphs by using CI tests where the conditioning sets are restricted to a given set of conditioning sets including the empty set.

## BACKGROUND

- *Pearlian framework* [Pearl' 09]: **Directed acyclic graphs (DAGs)** encode causal relation between variables.
- **Arrows:** Deterministic functional relations called *structural equations*.

$$X_i = f(Pa_{X_i}, E_{X_i}), E_i \perp\!\!\!\perp E_j$$



- There exists work that characterize and learn causal graphs from small conditioning set up to size k: LOCI [Wienöbst et.al '20], kPC [Kocaoglu. '23].

$$X \perp\!\!\!\perp Y | Z, |Z| \leq k$$

- We further relax the above by taking a more flexible class of conditioning sets called **conditionally closed sets**

## CONDITIONALLY CLOSED SETS $\mathcal{C}$

- Let  $\zeta = \{I_i\}$  be a set of CI statements of the form  $I_i = (X, Z, Y)$  i.e.  $(X \perp\!\!\!\perp Y | Z)$  or  $(X \not\perp\!\!\!\perp Y | Z)$ . A set  $\mathcal{C}$  is called **conditionally closed** if the following holds

1.  $\emptyset \in \mathcal{C}$
2.  $\exists X, Y \in \mathbf{V}, (X, \mathbf{C}, Y) \in \zeta \Rightarrow (A, \mathbf{C}, B) \in \zeta$  for all  $A, B \in \mathbf{V}$  and for all  $\mathbf{C} \in \mathcal{C}$


## CONTACT INFORMATION

**Web:** [muratkocaoglu.com/CausalML](http://muratkocaoglu.com/CausalML)

**Email:** [lee4094@purdue.edu](mailto:lee4094@purdue.edu)

## $\mathcal{C}$ -COVERED and $\mathcal{C}$ -CLOSURE GRAPHS

- **$\mathcal{C}$ -covered:** In a DAG,  $X$  and  $Y$  are said to be  **$\mathcal{C}$ -covered** if there does not exist a member  $\mathbf{C} \in \mathcal{C}$  s.t.  $(X \perp\!\!\!\perp Y | \mathbf{C})_D$
- **Example**
  - Let  $\mathcal{C} = \{\emptyset, \{Y\}\}$ .
  - $Z$  and  $Y$  are  **$\mathcal{C}$ -covered** in  $D$ .
  - $Z$  and  $Q$  are **not  $\mathcal{C}$ -covered** in  $D$ .
- **$\mathcal{C}$ -Closure graphs** of  $D$ ,  $\mathcal{S}_{\mathcal{C}}(D)$ : If  $X$  and  $Y$  are  **$\mathcal{C}$ -covered**:
  - (i) if  $X \in An(Y)$  in  $D$ , then  $X \rightarrow Y$  in  $\mathcal{S}_{\mathcal{C}}(D)$
  - (ii) if  $X \notin An(Y)$  and  $Y \notin An(X)$  in  $D$ , then  $X \leftrightarrow Y$  in  $\mathcal{S}_{\mathcal{C}}(D)$
 Else:  $X$  and  $Y$  are **not adjacent** in  $\mathcal{S}_{\mathcal{C}}(D)$ .




- **Lemma:**  $\mathcal{C}$ -closure graphs  $\mathcal{S}_{\mathcal{C}}(D)$  and DAG  $D$  entail the same set of d-separation statements given any  $\mathbf{C} \in \mathcal{C}$ .
- **Theorem:** Two DAGs  $D, D'$  are  **$\mathcal{C}$ -Markov equivalent** if and only if  $\mathcal{S}_{\mathcal{C}}(D), \mathcal{S}_{\mathcal{C}}(D')$  are Markov equivalent.

## $\mathcal{C}$ -ESSENTIAL GRAPHS

- **Characterizing the equivalence class of  $\mathcal{C}$ -closure graphs using edge union operation:**
  - $Xo-oY := X \leftrightarrow Y \cup X \leftarrow Y \cup X \rightarrow Y$
  - $Xo \rightarrow Y := X \leftrightarrow Y \cup X \rightarrow Y$
  - $X - Y := X \leftarrow Y \cup X \rightarrow Y$


- **$\mathcal{C}$ -essential graphs:** any DAG  $D$ , the edge union of all  **$\mathcal{C}$ -Closure graphs** that are Markov equivalent to  $\mathcal{S}_{\mathcal{C}}(D)$  is called  **$\mathcal{C}$ -essential graph** of  $D$ ,  $\mathcal{E}_{\mathcal{C}}(D)$ .



## PROPOSED ALGORITHM: $\mathcal{C}$ -PC

**Input:** observational data, a conditionally closed set  $\mathcal{C}$ , CI tester


1. Starts from a complete graph with circle edge o-o
2. Find separating sets  $S_{X,Y}$  for every pair of variables  $X, Y$  by conditioning on  $\mathbf{C} \in \mathcal{C}$ .
3. Update  $M$  by removing the edges between pairs that are separable
4. Orient unshielded collider of  $M$ : For any induced subgraph  $Xo-oZo-oY$ , set  $Xo \rightarrow Z \leftarrow oY$  for any non-adjacent pair  $X, Y$  where  $S_{X,Y}$  does not contain  $Z$
5. Apply FCI orientation rules [Zhang '08] and kPC orientation rules [Kocaoglu '23]



- **Theorem:**  $\mathcal{C}$ -PC algorithm is sound for learning  $\mathcal{C}$ -essential graph given a conditional independence oracle under causal Markov and  $\mathcal{C}$ -faithfulness assumptions


## EXPERIMENTAL RESULTS

- **S: Conditioning on high-dimensional variables (S)**
  - 100 random DAGs of size 30. Each has 2 or 30 states randomly assigned with 0.7 and 0.2 probabilities
  - Apply heuristic search to get conditioning sets that yield at least 5 samples per entry in the contingency table up to order 1.
  - F1-skeleton (left two); F1-arrowhead (right two); **The closer to the bottom right the better**



(S: Simulated, R: real-world)

- **R: The Cognition and Aging USA (CogUSA) Study** [McArdle et. al'07]
  - 16 discrete variables (2 to 13 states), 8 variables have missing data. Incorrect (red) and correct (green) causal order.
  - $\mathcal{C}$ -PC only condition on variables that do not have missing values.
  - Chisq tests with test-wise deletion.
  - $\mathcal{C}$ -PC (left); MVPC [Tu et.al '19] (right)



## CONCLUSION & FUTURE WORK

- We propose a sound algorithm called C-PC for learning causal graphs from a collection of conditioning sets known as conditionally closed sets. We extend an existing algorithm called k-PC that exhausts all CI tests of order up to some integer k to a setting where CI tests are restricted to a collection of conditioning sets.
- For future work, we want to further relax the restriction of a conditionally closed set and investigate whether one can systematically leverage arbitrary CI statements on top of all marginal independence relations for learning causal graphs.

## REFERENCES

- J. Pearl, Causality: Models, Reasoning and Inference. Cambridge University Press, 2009.
- Tu, Ruibo, et al. "Causal discovery in the presence of missing data." The 22nd International Conference on Artificial Intelligence and Statistics. Pmlr, 2019.
- McArdle John, R. W. and Robert, W. Cognition and aging in the usa (cogusa), 2007-2009.
- Kocaoglu, M. Characterization and learning of causal graphs with small conditioning sets. Advances in Neural Information Processing Systems, 36, 2024.
- Wienöbst, Marcel, and Maciej Lisiewicz. "Recovering causal structures from low-order conditional independencies." Proceedings of the AAAI Conference on Artificial Intelligence. Vol. 34. No. 06. 2020.
- Zhang, Jiji. "On the completeness of orientation rules for causal discovery in the presence of latent confounders and selection bias." Artificial Intelligence 172.16-17 (2008): 1873-1896.